




Material Safety Data Sheet

24 HR. CHEMTREC EMERGENCY #: 1-800-424-9300
(OUTSIDE THE U.S. & CANADA: 1-202-483-7616)

HAZARD RATING
4 - EXTREME
3 - HIGH
2 - MODERATE
1 - SLIGHT
0 - INSIGNIFICANT



SECTION 1 - PRODUCT IDENTIFICATION

IDENTITY: 507 Rinseable Primer

MANUFACTURER:

Karnak Corporation
330 Central Ave
Clark NJ 07066 USA
www.karnakcorp.com
Telephone: 800.526.4236

DATE: 1/30/14

24 HR CHEMTREC EMERGENCY NUMBER 1-800-424-9300
(OUTSIDE THE U.S AND CANADA 1-202-483-7616)

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

Components	CAS#	Wt.%	PEL	TWA-TLV	Other Limits Recommended
Water	7732-18-5	90-98	NA	NA	NA
Inorganic salts	Non Hazardous	1-5	NA	NA	NA
Surfactant Mixture	Non Hazardous	1-5	NA	NA	NA

PEL = Permissible Exposure Limits
TLV = Threshold Limit Value
N/A. = Not Applicable

OSHA = Occupational Safety and Health Administration
ACGIH = American Conference of Governmental Industrial Hygienists

SECTION 3 - HAZARDS IDENTIFICATION

Inhalation Health Risks and Symptoms of Exposure: Vapors are unlikely due to physical properties.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Skin – Short contact, no irritation. Prolonged or frequently repeated contact can cause irritation, defatting, dermatitis or corrosive burns. Eye contact can cause severe irritation, redness and tearing. May cause transient injury to cornea.

Skin Absorption Health Risks: None

Ingestion Health Risks and Symptoms of Exposure: Ingestion can cause severe internal irritation.

Health Hazards (Chronic): No Chronic effects expected

Medical Conditions Generally Aggravated by Exposure: None

SECTION 4 - FIRST AID MEASURES

- Eye Contact:** Flush eye with water for 15 minutes. Hold eyelids apart to ensure complete irrigation of all tissue. Get medical attention promptly.
- Skin Contact:** Wash thoroughly with water.
- Inhalation:** If illness occurs, remove patient to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, start artificial respiration. Call a physician immediately.
- Ingestion:** If swallowed, do not induce vomiting. Give large quantities of water. Get medical attention promptly.

SECTION 5 - FIRE FIGHTING MEASURES

- Flash Point** None
- Extinguishing Media:** Non-Flammable
- Fire Fighting Instructions:** Wear self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure mode.
- Unusual Fire Hazards:** None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Containment Procedures: Mop up or absorb and hold for disposal.

Clean-up procedures: Dispose into a waste container and recycle, incinerate or landfill in conformity with local disposal regulations.

SECTION 7 - HANDLING AND STORAGE

Avoid prolonged or repeated skin contact. Adhere to good hygienic practices. Do not eat, drink or smoke when handling this material. Wash hands before eating. Emptied containers may retain product residues, therefore all precautions given in this document should be observed. Store in a cool place out of hot sun and below 100°F.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory Protection: None required during normal use

Ventilation: Local Exhaust: In enclosed areas. Special: None
Mechanical: In enclosed areas. Other: None

Eye Protection: Safety glasses with side shield or face shield or chemical goggles

Protective Gloves: Wear neoprene gloves

Other Protective Clothing Equipment: Long sleeves and clothing

Work/Hygienic Practices: See Section 7.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear light purple liquid.		
Boiling Point:	212(F)	VOC (% by Wt.):	0
Melting Point	N/A	Evaporation Rate:	Water
Solubility in water:	Soluble	Vapor Pressure (Calculated):	17.0hPa @ 20C
Specific Gravity (H₂O=1):	1.02	PH (1% in H₂O):	6.0-8.0
Percent Volatile:	>90%		

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Incompatibility (Materials to Avoid): Strong oxidizing agents (i.e. Nitric Acid, Permanganates, etc.), Strong Alkalies (i.e. NAOH Ammonia, etc.), Strong Acids (i.e. HCL, Sulfuric, etc.). May react with aluminum.

Hazardous Polymerization: Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

Oral Toxicity : LD50 rat >2,000mg/Kg
Dermal Toxicity : LD50 rat >2,000mg/Kg
Skin Irritation : rabbit slight irritation
Eye Irritation : rabbit slight irritation

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity to Fish LC50 Rainbow trout 96h 262mg/L

EPA Hazard Classification Code:

Acute Hazard: ____ Chronic Hazard: ____ Fire Hazard: ____ Pressure Hazard: ____

Reactive Hazard: ____ Not Applicable: X

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state and federal regulations.

SECTION 14 - TRANSPORTATION INFORMATION

DOT Shipping Name and Labeling: Cleaning Compound – Not Regulated

SECTION 15 - REGULATORY INFORMATION

US Federal Regulations:

NA

Revision Statement:

This Material Safety Data Sheet has been revised to follow the ANSI Z400.1 standard.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The information has been completed to the best of our knowledge and is believed to be accurate and reliable as from the date indicated. However, no warranty is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy oneself as to the suitability and completeness of such information for his/her own particular use.